

No. AJHL1812003118SP

Date: DEC 20, 2018

Page 1 of 4

#### SUNRISE OUTDOOR LTD

RM818, TIANYIHAOJING BLOCK A, NO.19 HUALOU LANE, NINGBO, 315000, CHINA

The following sample(s) was / were submitted and identified on behalf of the client as:

Sample Description	3X3M PERGOLA
SGS Reference No.	NBHL1812021236FT
Style / Item No.	G197-A-ANTH
Buyer Name	CORA
Country of Origin	CHINA
Country of Destination	EURO
Sample Receiving Date	DEC 14, 2018
Test Performing Date	DEC 14, 2018 TO DEC 19, 2018

Test Result Summary		
Test(s) Requested	Result(s)	
Arbour Protocol Test (As per client's requirement)	PASS	
Summary:  1. For further details, please refer to the following page(s)		

Signed for and on behalf of SGS-CSTC Co., Ltd. Anji Branch

David Fan

Approved Signatory





No. AJHL1812003118SP

Page 2 of 4

Date: DEC 20, 2018

#### **Test Result:**

No.	Test Item	Test Requirement	Result
1	According standard EN 581-1	<ol> <li>Clause 5.1: Edges and corner</li> <li>Clause 5.2: Tubular parts, openings and spaces available for use</li> <li>Clause 5.3: Points shear and pinch</li> </ol>	PASS (See Annex 1)

#### Annex 1:

Test Conducted: Refer to EN 581-1:2017 Outdoor furniture — Seating and tables for camping,

domestic and contract use Part 1: General safety requirements

#### **Test Result:**

Test Item	Test Method & Test Requirement	Test Result
General (EN 581-1:2017, 5.1)	In order to avoid physical injury when the product is in its intended position of use, all edges and corners shall be rounded, chamfered or otherwise protected. This applies to:  — Seating: Edges of the seat, back rest and arm rests and any part of the bottom surface of the seat at a distance less than 120 mm from any edge, where a finger can commonly access;  — Tables: Table tops, any part of the underside of the top surface at a distance less than 500 mm from any edge below the table, where a knee and/or an arm can commonly access.  All other parts shall be free from burrs, sharp edges and sharp points.  Movable and adjustable parts shall be designed so that injuries and inadvertent operation are avoided.  It shall not be possible for any load bearing part of the furniture to come loose unintentionally.  All parts which are lubricated to assist sliding shall be designed to protect users from lubricant stains when in normal use.	PASS
Tubular components (EN 581-1:2017, 5.2)	There shall be no accessible holes in the ends of tubular components with a diameter between 7 mm to 12 mm and with a depth more or equal to 10 mm.  The bottom of tubular legs in contact with the floor shall be closed or capped, however, holes in them are allowed as long as they are not between 7 and 12 mm.	PASS
Shear and squeeze points when erecting, adjusting and folding away (EN 581-1:2017, 5.3.1)	Unless 5.3.2 or 5.3.3 are applicable, shear and squeeze points that are created only during erecting, adjusting or folding away are acceptable providing the user can be assumed to be in control of his/her movements and to be able to cease applying the force immediately on experiencing pain.	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overlead, available on request or accessible at http://www.sps.com/en/Imms.and-Conditions.aspx and, for electronic Promat documents subject to Terms and Conditions of Electronic Documents at http://www.sps.com/en/Terms.and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of illubility, indemnification and jurisdiction issues defined therein. Any hodger of this document ladvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fasification of the content on appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention-To-check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307



**Test Item** Shear and squeeze

points under the

influence of powered

mechanisms (EN 581-1:2017, 5.3.2)

Shear and squeeze

points during use

(EN 581-1:2017, 5.3.3)

No. AJHL1812003118SP

Test Method & Test Requirement	Test Result
There shall be no accessible shear and squeeze points created by parts of the furniture operated by powered mechanisms, e.g. mechanical springs and gas lifts.	NA
There shall be no accessible shear and squeeze points created by loads applied during normal use. Shear and squeeze points are not acceptable if there is a risk of injury created by the weight of the user	PASS

Date: DEC 20, 2018


Page 3 of 4

### **Photo Appendix**

seating by lifting the seat or by adjusting the backrest.

during normal movements and actions, e.g. attempting to move the
















No. AJHL1812003118SP

Date: DEC 20, 2018

Page 4 of 4





SGS authenticate the photo on original report only

\*\*\*End of Report\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/ferms-and-Conditions.aron for electronic format document subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/ferms-and-Conditions/ferms-e-Document.asp">http://www.sgs.com/en/ferms-and-Conditions/ferms-e-Document.asp</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined thereon, Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forger faisification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated thresults shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.